

Perbaikan Bukti Kinerja Dan Tambah Karya Ilmiah
a.n. Dr. Dewi Elfidasari, S.Si., M.Si

3. Judul Artikel : Short Communication: The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Indonesia
- Penulis : **Dewi Elfidasari**, Fahma Wijayanti, Hurunin F. Muthmainah
- Nama Jurnal : Biodiversitas
- Volume Jurnal : 21
- Nomor Jurnal : 9
- Tahun Terbit Jurnal : 2020
- Halaman : 4100-4106
- ISSN : 1412-033X
- Penerbit : Biology Departemet, UNS
- DOI : 10.13057/biodiv/d210922

Komentar dari Reviewer :

Kategori jurnal internasional terindeks Scopus-Scimagojr. Judul karil relevan dengan scope jurnal dan bidang ilmu pengusul. Pengusul sebagai penulis pertama. Ada informasi proses review yang singkat. Received-accepted sekitar 6 bulan. Sebagai karil syarat khusus, diperlukan lampiran bukti korespondensi untuk memastikan bahwa proses review berjalan sesuai kriteria dalam PO PAK 2019. Unsur artikel lengkap, memenuhi kaidah IMRADC. Pembahasan substansi cukup baik, didukung kebaruan pustaka primer 50% dari 52 pustaka yang disitasi.

Catatan:

- 1) Diperlukan bukti korespondensi untuk memastikan adanya proses review yang normal sesuai kriteria PO PAK 2019
- 2) Penilaian akan dilakukan setelah bukti ditambahkan

Revisi (Klarifikasi/Penjelasan) :

Proses mulai dari penerimaan naskah, review oleh mitra bestari jurnal, revisi oleh pengusul dan penerbitan yang dilakukan pihak editor jurnal untuk karil ini membutuhkan waktu lebih dari 8 bulan. Karil disubmit pada tanggal 18 Pebruari 2020, dan terbit pada bulan September 2020.

Proses review berlangsung normal seperti jurnal ilmiah lainnya meskipun Jurnal Biodiversitas terbit 12 kali dalam 1 tahun. Karil ini membutuhkan mayor revisi sehingga waktu yang diperlukan untuk melakukan perubahan dan perbaikan pada naskah karil juga tidak singkat (3-6 bulan). Editor Jurnal Biodiversitas bekerja dengan sangat professional, naskah baru atau yang telah direvisi dan dikirim baik melalui email editor maupun OJS jurnal akan segera direspon dan ditindaklanjuti.

Terlampir komunikasi penulis dengan editor jurnal melalui email editor Jurnal Biodiversitas yang diprint dalam format PDF

Short Communication:

The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Jakarta, Indonesia

DEWI ELFIDASARI^{1,✧}, FAHMA WIJAYANTI^{2,✧✧}, HURUNIN FATHONAH MUTHMAINAH^{2,✧✧✧}

¹Department of Biology, Faculty of Science and Technology, Universitas Al Azhar Indonesia. Jl. Sisingamangaraja, Kebayoran Baru, Jakarta Selatan 12110, Jakarta, Indonesia. Tel.: +62-21-72792753, 7690709. ✧email: d_elfidasari@uai.ac.id, ✧✧fahmawijaya@yahoo.com, ✧✧✧huruninfathonah@gmail.com

²Department of Biology, Faculty of Science and Technology, Universitas Islam Negeri Syarif Hidayatullah Jakarta. Jl. Ir. H. Juanda No. 95, Cempaka Putih, Tangerang Selatan 15412, Banten, Indonesia

Manuscript received: 18 February 2020. Revision accepted: 13 August 2020.

Abstract. *Elfidasari D, Wijayanti F, Muthmainah HF. 2020. Short Communication: The effect of water quality on the population density of Pterygoplichthys pardalis in the Ciliwung River, Jakarta, Indonesia. Biodiversitas 21: 4100-4106.* The quality of waters is determined by the average value of the measured parameter range with a direct impact on aquatic biota due to pollution. The Ciliwung River is one of the polluted waters in Jakarta, which is the habitat for *Pterygoplichthys pardalis* (plecos catfish) that dominates the river. This study, therefore, aimed to analyze the influence of Ciliwung River quality on the density of *P. pardalis*. Data were obtained by measuring DO, BOD, pH, rainfall, temperature, water clarity, turbidity, current velocity, river depth, ammonia, and phosphate levels, as well as the fish population density. The research result showed that the density of *P. pardalis* population was greatly influenced by the DO, BOD, pH, turbidity, and ammonia parameters of the Ciliwung River. The waters quality with the DO condition of 2.6 mg/L, BOD of 1,2 mg/L, pH of 7.2, the turbidity of 3.85 FTU and ammonia of 2.65 ppm were the optimum conditions for the highest population density of *P. pardalis* in the Ciliwung River

Keywords: Ciliwung River, density, population, *Pterygoplichthys pardalis*, water quality

INTRODUCTION

Water quality plays an important role in the survival of aquatic biota and affects the population density. Its parameters are directly or indirectly determined by the hydrodynamic process as well as some physical and chemical factors that occur in water (Guntur et al. 2017). Besides, pollution reduces the quality of water, which has a direct impact on aquatic biota (Kisku et al. 2017; Shetty et al. 2015). The Ciliwung River originates from the Pangrango Mountain, West Java, and flows from Bogor through Depok, and ends in Jakarta Bay's estuary. The length of the Ciliwung River is ± 117 km, while the watershed area is approximately 347 km². The previous studies explained that *Pterygoplichthys pardalis* is the only armored catfish in the Ciliwung River (Elfidasari et al. 2016; Rosnaeni et al. 2017). It is an invasive species that originated from South America, precisely North Argentina, and its population currently dominates the fish community in the Ciliwung River.

The presence of *P. pardalis* has contributed to the population decrease of other fish in the Ciliwung River. It has the characteristics of an invasive organism, such as a skilled competitor, predator, reproducing rapidly, and easily adapting to its environment (Pysek & Richardson 2010; Hubilla et al. 2007). This condition causes its population to dominate over other fish species in the river. The abundance of *P. pardalis* is quite beneficial to the surrounding society because it can be used as raw materials

for some processed food products such as fish cakes, dumplings, fish floss, and crackers (Mahdiah 2010).

The environmental quality of the water certainly influences *P. pardalis* presence in the river. However, there was no available information that explained its impact on population density. This study aimed to analyze the effect of the water quality on the *P. pardalis* population density in the Ciliwung River. The information obtained from this research is expected to serve as a material for consideration by the Jakarta city government in carrying out policies on the sustainable management of the Ciliwung River.

MATERIALS AND METHODS

Data sampling locations

This research was done in three sampling stations, namely St1, St2, and St3. Determination of sampling location was done using a purposive sampling method, which is based on the presence of *Pterygoplichthys pardalis* in the Ciliwung River, Jakarta, Indonesia. St1 is located in Condet, with the rocky conditions and the river banks overgrown with trees. St2 is located in Pasar Minggu, having a wide river body and riverbank covered with trees and shrubs. The last station is St3, located in Cawang whose riversides are densely populated with many community activities. The coordinates are as follows: St1 S 06.244053°-E 106.862654°, St2 S 06.25830°-E 106.86040°, and St3 S 06.28599°-E 106.84717° as shown in Figure 1.




Figure 1: Three sampling stations along Cawang-Condnet of the Ciliwung River, Jakarta, Indonesia

Water quality measurements of the Ciliwung River

The measurements of water quality were carried out at three designated sampling locations with the data sampling conducted thrice at a distance of ± 5 meters from each other. The measured parameters were rainfall, river currents, temperature, pH, dissolved oxygen (DO), biochemical oxygen demand (BOD) during the breakdown of organic matter in a water sample during a five day (BOD₅), river depth, clarity, turbidity, and current velocity using various methods and measurement tools as shown in Table 1 (Mainstone and Gulson 1990; Shetty et al. 2015). Phosphate (PO₄) and Ammonia (NH₃) measurements were carried out at the Integrated Laboratory Center of the Faculty of Science and Technology of UIN Syarif Hidayatullah Jakarta.

Table 1. Water quality sampling methods in the Ciliwung River, Jakarta, Indonesia

Parameter	Unit	Tools/methods of sampling
Physical		
Rainfall	Mm	Secondary data from meteorological stations
Temperature	°C	Thermometer
River current	m/sec.	Current meter
River depth	Cm	Scale stick
Clearness	%	Secchi disk
Turbidity	NTU	Turbidimeter
Chemical		
pH	-	pH meter
Dissolved oxygen (DO)	mg/L	BOD meter
Biochemical oxygen demand (BOD)	mg/L	COD meter
Phosphate (PO ₄)	mg/L	spectrophotometer Uv-Vis
Ammoniac (NH ₃)	mg/L	spectrophotometer Uv-Vis

The data sampling of *Pterygoplichthys pardalis* density in the Ciliwung River

The number of *P. pardalis* caught in the stocking nets of 4x2 m² in size and 2,5-inch meshes spread at three sampling stations was recorded. The nets were spread in the morning at approximately 09.00-15.00 WIB, which is the active food hunting time for members of the Loricariidae including *P. pardalis* (Nico 2010). Sampling was carried out three times in different weeks.

The density of *Pterygoplichthys pardalis* in the Ciliwung River

The density of *P. pardalis* was calculated using the following formula (Barus 2004)

$$D_i = X_i / N_i$$

Index

D_i = Density (individual/m)

X_i = Total number of individuals

N_i = Total area

The correlation between environmental parameters and the density of *P. pardalis* in the Ciliwung River

The correlation between environmental parameters and the density of *P. pardalis* was measured using the Principal Component Analysis (PCA) (Sartono et al. 2003). The measurement of the data for Analysis Factor was done using Kaiser-Meyer-Olkin (KMO) and Barlett's test. KMO test was used to Measure Sampling Adequacy (MSA) for each variable (physical and chemical parameters of the waters), and Sphericity compared the correlation matrix of each variable using Barlett's test (Widarjono 2010).

The formula for the KMO test is:

$$MO_j = \frac{\sum_{i \neq j} r_{ij}^2}{\sum_{i \neq j} r_{ij}^2 + \sum_{i \neq j} u_{ij}}$$

Where:

R = [r_{ij}] is the correlation matrix and

U = [u_{ij}] is the partial covariance matrix.

RESULTS AND DISCUSSION

The quality of the Ciliwung River waters

The measurement results of the physical and chemical parameters at the three stations showed that the temperature was within the range of normal values, with a light intensity of 1.12-7.74 Klux, depth of 50-148 cm, turbidity of 18.13-42.39 FTU, current velocity of 0.4-2.1 m/s, BOD₅ of 3.8-5.7 mg/l, pH of 6.5-6.9, phosphate and ammonia values of 0.05-0.1 ppm, and 0.6-4.6 ppm, respectively (Table 2). 5-d Biochemical Oxygen Demand (BOD₅) is the standardized experimental procedure to determine the relative oxygen requirements for aqueous microbes to consume organic materials in natural waters. This environmental condition is suitable for the *P. pardalis*, because this fish prefers warm waters which provide an opportunity for more sources of food and opportunities for invasion. During extreme weather (dry/cold), the *P. pardalis* tends to occupy holes in river slopes.

The optimal temperature for *Pterygoplichthys sp* is 21-29°C (Nico et al. 2012). The water current during summer increases the population of *Pterygoplichthys sp* due to the optimal temperature, which is ideal for breeding; however, during winter/cold season, it tends to limit algae food supply and fish reproductive success (Gibbs et al. 2013). The reproduction period of plecos coincides with the large availability of phytoplankton in the water (Duarte and Araujo 2002), and an optimal condition for their growth is when the temperature is approximately 20-30°C (Nair et al. 2015).

The current velocity of the Ciliwung River at the time of measurement showed that the value varied among stations, with stations 1 and 3 possessing a strong current velocity at 5 m/s and 2.1 m/s, respectively. Station 2 had a

weak current velocity of 0.4 m/s (Table 3). The current velocity of a flowing body of water, such as a river, determines the spread of organisms and the availability of food sources for aquatic biota. The stronger the current velocity is, the greater the abundance of food sources is, which also leads to the better spread of fish, and ultimately affects population density (Hockley et al. 2013; Guenard et al. 2015).

The DO at the second station had a low value of 4.66 mg/l due to high turbidity of 42.39 NTU, and this led to the excessive consumption of oxygen by the microorganisms to mobilize organic matter (Table 2). Dissolved oxygen in water decreases with an increase in organic waste because anaerobic bacteria use it in the breaking down of organic materials. The members of the Loricariidae can live in waters with low oxygen and high organic matter contents due to their ability to take in oxygen from the air with a major food type referred to as detritus (Yossa and Araujo-Lima 2011).

Turbidity value is an indicator of the amount of materials, namely clay, dust, plankton, and microorganisms, suspended solid from domestic waste and activities in the water. It is negatively correlated with the value of dissolved oxygen levels. The turbidity values in three locations were 18.13-42.39 FTU (Table 2).

The pH value in the Ciliwung River was 6.5-6.9 (Table 2). The ideal pH for freshwater biota is between 6.8 and 8.5 (Tatangindatu et al. 2013). If the pH values are extremely low or high, the solubility of metals in the water increases, which is toxic to aquatic organisms.

The results of BOD₅ measurements in the three locations showed that the pollution level was still low and categorized as good water. According to Salmin, the BOD₅ value of good waters for biota ranges from 0 to 10 mg/L. The first station had value of 5,7 mg/l, higher than that of the third station, i.e., 4,9 mg/l (Table 2). A higher concentration indicates that the water has been polluted (Salmin 2005). The lowest BOD₅ concentration was found in the second station with a value of 3,8 m/L, as shown in Table 2. However, *P. pardalis* is able to survive due to the low concentration of BOD, Chemical Oxygen Demand (COD), and Total Organic Matter (TOM) (Nugroho et al. 2014).

Table 2. Physical and chemical qualities of water in three stations in the Ciliwung River, Jakarta, Indonesia

Physical factors of waters	Station		
	St1	St2	St3
Temperature (°C)	28.1 ± 1.19	28.5 ± 0.4	28.4 ± 1.16
Light Intensity (Klux)	3.69 ± 0.35	1.12 ± 0.51	7.74 ± 0,65
Depth (cm)	148 ± 0	50 ± 4.25	130 ± 43,5
Turbidity (NTU)	29.35 ± 4.01	42.39 ± 2.07	18.13 ± 8.49
Current Velocity (m/s)	1.5 ± 0.86	0.4 ± 0.28	2.1 ± 1.60
pH	6.5 ± 0.66	6.7 ± 0.37	6.9 ± 0.1
Biochemical Oxygen Demand (mg/L)	5.7 ± 0.93	3.8 ± 2.29	4.9 ± 1.37
Phosphate (ppm)	0.05 ± 0.01	0.04 ± 0.001	0.1 ± 0.012
Ammonia (ppm)	0.6 ± 0.15	2.7 ± 0.05	4.6 ± 0.95
Dissolved Oxygen (mg/L)	5.93 ± 0.92	4.66 ± 1,81	5.23 ± 1.50

BOD₅ value increases with the increasing content of organic materials in the waters, which in turn causes the dissolved oxygen content to decrease due to decompose organism population increase (Boyd 1990). Decreased oxygen levels in the waters can be overcome by *P. pardalis*, because in anoxic conditions, potassium compounds in the fish heart play a role in reducing the quantity of blood pumped to the heart, in order to store more energy (MacCormack et al. 2003).

The phosphate concentration in this research area was 0.04-0.1 ppm (Table 2) which did not exceed the recommended value for rivers and waters. The maximum value of phosphate level, recommended for rivers and waters that have ever been reported is 0,1 mg/L (Anhwange & Edith 2012). Phosphate compounds in water are derived from natural sources such as soil erosion, animal waste, weathering of plants, destruction of organic materials, and phosphate minerals (Affan 2010). The area around the research location is densely populated, so the sources of phosphate in the river are allegedly the outcome of human activities, such as domestic waste disposal and water runoff from agricultural practices.

The ammonia concentration was high, ranging from 0.6 to 4.6 mg/L (Table 2). The maximum threshold of ammonium content in water is 1 mg/L to ensure that the fish is in a normal condition despite the pollutants in the waters (Pescod 1973). The high concentration of ammonia in the three locations was due to the activities of people living near the river, such as public bathing, washing, and toileting (*Mandi Cuci Kakus* - MCK). Feces of plecos in the aquatic environment increase ammonia concentrations, and it is suspected to change the translocation of nutrients, sediment characteristics, aquatic microbial, and benthic communities (Ferraris Jr 1991).

Population density of *Pterygoplichthys pardalis* in the Ciliwung River

The population density of *P. pardalis* at the first, second, and third stations was 58 individual/m², 80 individual/m², and 36 individual/m², respectively (Table 3), with an average of 58 individuals/m². The population density of *P. pardalis* in this research was greater than that in a previous study conducted in 2016, which was 22 individuals/m² (Halwa 2016).

The largest population density of 80 individual/m² was obtained at the second station, while the smallest one was found at the third station with a value of 36 individual/m². The second station had the greatest population density because the number of individual *Poecilia reticulata* and *Mystacoleucus marginatus* was fewer than those at the first and third stations (Hadiaty 2011).

Table 3: Population density of *P. pardalis* in three sampling stations in the Ciliwung River, Jakarta, Indonesia

Population density of <i>P. pardalis</i> (individual/m ²)	Station		
	St1	St2	St3
	58	80	36

This condition led to the abundance of *P. pardalis* in the station compared to *Poecilia reticulata* and *Mystacoleucus marginatus*. Its abundance is possible because of its superiority in interspecific competition in utilizing food sources with other fish in the Ciliwung River, such as *Poecilia reticulata* and *Mystacoleucus marginatus* (Hadiaty 2011). Their aggressive behavior when obtaining food in a particular location where they are abundant may change the composition of fish communities in the water. This has the potential to cause a decrease in the population of other species of fish and invertebrates in the river (Josefsson and Andersson 2001).

Population density is also influenced by the number of food sources in a body of water (De-Merona & Ranking de-Merona 2004). According to the research conducted by Pambudi, there are 5.834 phytoplankton individuals from 53 species in the Ciliwung River. This showed that the population of fish at each station is influenced by the presence of phytoplankton (Pambudi et al. 2016). The largest population density value of 80 ind./m² was found at the second station because the area had low current velocity which is optimum conditions for phytoplankton life (Odum 1988; Nair et al. 2015). At the second station, the current velocity was lower than in the first and third stations. The current velocity rate at the second station was 0.4 m/s, lower than at the first and second, i.e., 1.5 m/s and 2.1 m/s, respectively. Another reason for the high density of *P. pardalis* at the second station was the low fishing activities carried out by the communities near the riverside. Commercial fishing activities of invasive species *Pterois volitans* have shown to help inhibit the growth of the fish populations in the Atlantic Sea (Barbour et al. 2011). Another cause for the high density of *P. pardalis* is the absence of predator fish because its body has several adaptations that aid it in avoiding predators. Morphological adaptation of *P. pardalis* includes having hard bones, and regenerating pectoral fins, making it impossible to be eaten by other species of fish that live in the river. *P. pardalis*' predators are not fish, but snakes, freshwater turtles, birds, and even humans (Anguier and Di-Bernardo 2004; Bonini et al. 2009; Nico 2010). The presence of a particular species of fish is strongly influenced by the presence of predators (Krebs 1972).

The correlation between environmental parameters and the density of *Pterygoplichthys pardalis* population in the Ciliwung River

Small KMO values showed that other variables do not explain the correlation between pairs of parameters. The previous KMO test was not fulfilled because its value was less than 0.5. Therefore it was necessary to eliminate the physical and chemical parameters of the Ciliwung River waters by employing the Measure Sampling Adequacy (MSA) Statistic Analysis test. The variables that had MSA value < 0.5 was eliminated until the values of KMO, and the MSA for each variable was more than half.

The selection results using MSA values in the physical and chemical parameters of the waters show variables that were feasible to be analyzed (MSA values > 0.5). There

were five variables, namely turbidity, pH, DO, BOD, and Ammonia, which produced a KMO value of 0.646 (KMO value <0.5). The results from the physical and chemical parameters showed a significance level of 0.028 (Table 4), indicating that the statistical tests for the total correlation in a matrix were significant.

The results from the analysis of the two matrix component rotations on the physical and chemical parameters of the *P. pardalis* habitat in the river successfully identified the correlation between variables with the components formed. The results showed two parameters, i.e., DO (0.958) and BOD (0.957) and three parameters, namely ammonia (0.826), turbidity (0.682), and pH (0.638) were highly correlated variables in component 2, (Table 5).

Interpretation of the results was conducted by observing the value of the components contained in the matrix rotation Figure 2. The value of the selected matrix component was above 0.5 and was considered to be able to explain the influencing variables. The rotating component is a correlation matrix that shows a clearer distribution of variables and is more real than the component matrix. Principal component analysis (PCA) is a technique for reducing the dimensionality of such data, increasing interpretability but at the same time minimizing information loss.

The analysis shows that the five variables in components 1 and 2 correlate with the number of individuals of *P. Pardalis* as shown in Figure 2. The conditions of the physical and chemical parameters determine the highest number of *P. pardalis* populations by 250 individuals, discovered in the Ciliwung River. The parameters that affected its density and population were DO value of 2.6 mg/L, BOD of 1,2 mg/L, ammonia of 2.65

ppm, pH 7.2, and turbidity of 43.85 FTU in the waters of the river. This value provides information on the optimum conditions required for its presence in the Ciliwung River. The results of multivariate analysis (PCA) showed that e values of the physical and chemical parameters provide information that the river water has been heavily polluted. Although as a single component, the BOD value of river water within good limits value of good waters for biota ranges from 0 to 10 mg/L.

Table 4. KMO Test and Bartlett's PCA results on physical and chemical parameters of the Ciliwung River waters, Jakarta, Indonesia

Kaiser-Meyer-Olkin Measure of Sampling Adequacy.	0.646		
Bartlett's Test of Sphericity	Approx. Square	Chi-	20.173
	Df		10
	Sig.		0.028

Table 5 Rotational matrix components of PCA results on physical and chemical variables of the Ciliwung River waters habitat, Jakarta, Indonesia

Parameter	Component	
	1	2
Turbidity	-0.621	-0.682
pH	-0.540	0.638
Dissolved Oxygen (DO)	0.958	-0.165
Biochemical Oxygen Demand (BOD)	0.957	-0.129
Ammonia	-0.167	0.826




Figure 2. Effect of physical and chemical parameters to fish populations in the Ciliwung River, Jakarta, Indonesia

The high population density of *P. pardalis* in polluted water shows that the fish can adapt to polluted aquatic environments. One cause of its adaptive abilities is the presence of additional organs in its stomach, enabling it to adapt to the state of hypoxia in waters with little dissolved oxygen (da Cruz et al. 2013). Besides, the large vascular system that functions as a lung in plecos enables it to breathe air even in hypoxic conditions (Hussan et al. 2016). Although *Pterygoplichthys sp.* breathes air, it is still influenced by environmental pH (Evans 2010). In situations where the pH value remains constant, there is a possibility that there is no mortality of *P. pardalis*. Generally, water quality preferences for the *Loricariidae* family in toxic/hypoxic conditions (dissolved oxygen values <3 mg/l) is neutral pH (7 ± 1) (Nico 2010).

High density leads to an increase in the number of fish that consume oxygen and the metabolic waste released (Yildiz et al. 2017; Dauda et al. 2019). Fish emit 80-90% ammonia (N-inorganic) through the osmoregulation process, whereas 10-20% of total nitrogen is from its feces and urine. Likewise, *Pterygoplichthys sp.*, which is located in freshwater in Florida, America, produces a relatively large egesta (waste/feces that are still functional) while the greatest component of its feces is organic nitrogen (Rubio et al. 2016). The small quantity of dissolved oxygen and the large concentration of ammonia in the river affect the population density of *P. pardalis*.

The feces of armored catfish affect algal biomass and productivity in their native habitat. Therefore they play an important role in controlling the abundance of algae (Power 1990). The high density of *P. pardalis* in the river causes a huge abundance of algae, which causes high turbidity. The high turbidity is also caused by dug holes for spawning habitat and egg maintenance made by *Pterygoplichthys sp.* around riparian environments (Van den Ende 2014; Maturbong 2015). The activity of excavating and making spawning tunnels by *P. pardalis* causes erosion (displacement of a mass of rock or soil), thereby causing turbidity in waters (Levin et al. 2008).

In conclusion, the water quality parameters of DO, BOD, pH, turbidity, and ammonia of the Ciliwung River waters greatly influenced the population density of *P. Pardalis*. The quality of waters with DO of 2.6 mg/L, BOD of 1.2 mg/L, pH value of 7.2, the turbidity of 3.85 FTU, and ammonia of 2.65 ppm were the optimum conditions for the highest population density of *P. pardalis* in the Ciliwung River.

ACKNOWLEDGEMENTS

The authors are grateful to the Ministry of Research and Technology of Higher Education for the funds provided through the Directorate of Research and Community Service. The authors are also grateful to all those that helped in carrying out this study.

REFERENCE

- Affan JM. 2010. Analysis of marine resource potential and water quality based on physical and chemical parameters on the east coast of Kabupaten Bangka Tengah. *Spektra* 10: 99-113. [Indonesian]
- Anguiar LF, Di-Bernardo M. 2004. Diet and feeding behavior of *Helicops infrataeniatus* (Serpentes: Colubridae: Xenodontinae) in Southern Brazil. *Stud Neotrop Fauna Environ* 39: 7-14.
- Anhwange B, Edith A. 2012. Impact assessment of human activities and seasonal variation on river Benue, within Makurdi Metropolis. *Intl J Sci Technol* 2: 248-254.
- Barbour AB, Allen MS, Frazer TK, Sherman KD. 2011. Evaluating the potential efficacy of invasive lionfish (*Pterois volitans*) removals. *PLoS ONE* 6 (5): e19666. DOI: 10.1371/journal.pone.0019666.
- Barus TA. 2004. Introduction to Limnology Studies on Terrestrial Water Ecosystem. USU Press, Medan. [Indonesian]
- Bonini M, Lescano JJ, Haro JG, Leynaud GC. 2009. Diet of *Hydromedusa tectifera* (Testudines-Chelidae) in a mountain stream of Cordoba Province, Argentina. *Amphibia-Reptilia* 30: 545-554.
- Boyd CE. 1990. Water quality in ponds for aquaculture. Birmingham Publishing Co, Birmingham, UK.
- da Cruz AL, et al. 2013. Air-breathing behavior and physiological responses to hypoxia and air exposure in the air-breathing Loricariid fish, *Pterygoplichthys anisitsi*. *Fish Physiol Biochem* 39: 243-256.
- Dauda AB, Ajadi A, Tola-Fabunmi AS, Akinwale AO. 2019. Waste production in aquaculture: source, components and management in different cultural systems. *Aquat Fish* 4: 81-88.
- De-Merona B, Ranking de-Merona J. 2004. Food resource partitioning in a fish community of the Central Amazon floodplain. *Neotrop Ichthyol* 2: 75-84.
- Duarte S, Araujo FG. 2002. Fecundity of the *Hypostomus affinis* (Siluriformes, Loricariidae) in the lakes reservoirs, Rio de Janeiro, Brazil. *Revista de Biologia Tropical* 50: 193-197.
- Elfidasari D, Qoyyimah FD, Fahmi MR. 2016. Morphometric and meristic of common pleco (Loricariidae) on Ciliwung River watershed south Jakarta region. *Intl J Adv Res* 4: 57-62.
- Evans DH. 2010. Freshwater fish gill ion transport: August Krogh to morpholinos and microprobes. *Acta Physiologica* 201: 1-11.
- Ferraris JrC. 1991. Catfish in the Aquarium. Tetras Press, Morris Plains
- Gibbs MA, Kurth BN, Bridges CD. 2013. Age and growth of the loricariid catfish *Pterygoplichthys disjunctivus* in Volusia Blue Spring, Florida. *Aquat Invas* 8: 207-218.
- Guenard G et al. 2015. A spatially-explicit assessment of the fish population response to flow management in a heterogeneous landscape. *Ecosphere* 7: 1-12.
- Guntur G, Yanuar AT, Sari SH, Kurniawan A. 2017. Water quality analysis based on pollution index in East Part of Surabaya Coastal area. *Depik* 6: 81-89. [Indonesian]
- Hadiaty R. 2011. Diversity and loss of fish species in the Ciliwung River and Cisadane River. *Berita Biologi* 10: 491-504. [Indonesian]
- Halwa A. 2016. Bioaccumulation of heavy metal (Pb, Cd, Cr) in pleco flesh from upstream of Ciliwung River. [Thesis] University Islam Negeri Syarif Hidayatullah. Jakarta [Indonesian]
- Hockley FA, Wilson CAME, Brew A, Cable J. 2013. Fish responses to flow velocity and turbulence in relation to size, sex, and parasite load. *J R Soc Interface* 11: 8-14.
- Hubilla M, Kis F, Primavera J. 2007. Janitor fish *Pterygoplichthys disjunctivus* in the Agusan Marsh: a threat to freshwater biodiversity. *J Environ Sci Manag* 10: 10-23.
- Hussan A, Arabinda D, Tanmoy GC. 2016. Suckermouth sailfin catfishes: a future threat to aquatic ecosystem of India. *Aquacult Times* 3: 1-12.
- Josefsson M, Andersson B. 2001. The environmental consequences of alien species in the Swedish Lakes Malaren, Hjalmaran, Vanern and Vattern. *Ambio* 30: 514-521.
- Kisku S et al. 2017. A cross-sectional study on water quality in relation to fish diversity of Paschim Medinipur, West Bengal, India through geoinformatics approaches. *Egyptian J Aquat Res* 43: 283-289.
- Krebs JC. 1972. The experimental analysis of the distribution and abundance. Harper and Row Publ, New York.
- Levin BA, Phuong PH, Pavlon DS. 2008. Discovery of the Amazon sailfin catfish *Pterygoplichthys pardalis* (Castelnau, 1855) (Teleostei: Loricariidae) in Vietnam. *J Appl Ichthyol* 24: 715-717.
- MacCormack TJ, Treberg JR, Almeida-Val VMF, Val AL, Driedzic WR. 2003. Mitochondrial K(ATP) channels and sarcoplasmic reticulum

- influence cardiac force development under anoxia in the Amazonian Armored Catfish *Liposarcus pardalis*. *Comp Biochem Physiol A Mol Integr Physiol* 134: 441-448.
- Mahdiah E. 2010. The effect of the addition of binding material on the physical characteristics of otak-otak from pleco (*Liposarcus pardalis*) flesh. [Thesis]. Institut Pertanian Bogor, Bogor [Indonesian]
- Mainstone CP, Gulson J. 1990. The effect of water quality on freshwater fish populations. National Rivers Authority, Buckinghamshire, UK.
- Maturbong MR. 2015. The influence of the level of turbidity of the water on the composition of macroalgae species in Rutong Leahari water. *Agricola* 5: 21-31.
- Nair AM, Reshma JK, Mathew A, Aswathy AJ. 2015. Effect of water quality on phytoplankton abundance in selected ponds of Nedumangad Block Panchayat, Kerala. *Emer Life Sci Res* 1: 35-40.
- Nico L et al. 2012. Discovery of South American suckermouth armored catfish (Loricariidae, *Pterygoplichthys* spp.) in the Santa Fe River drainage, Suwannee Riser Basin, USA. *Bioinvas Rec* 1: 179-200.
- Nico LG. 2010. Nocturnal and diurnal activity of suckermouth catfish (Loricariidae: *Pterygoplichthys*) associated with winter Florida manatees. *Neotrop Ichthyol* 8: 893-893.
- Nugroho AA, Rudiyan S, Haerudin. 2014. The Effectiveness of the use of broom fish to improve the quality of fish processing wastewater (depend on BOD, COD, TOM). *Diponegoro J Maquares* 3: 15-23.
- Odum EP. 1988. *Fundamentals of ecology*. WB Saunders Company, Philadelphia.
- Pambudi A, Priambodo TW, Noriko N, Basma. 2016. Ciliwung River phytoplankton diversity after the "Ciliwung Bersih" programme. *J Al Azhar Indonesia Seri Sains dan Teknologi* 3: 204-211. [Indonesian]
- Pescod MB. 1973. *Investigation of National Affluence and Stream Standart for Tropical Countries*. U.S. Army Research and Development Group, San Fransisco.
- Power ME. 1990. Resource enhancement by indirect effects of grazers: armored catfish, algae, and sediment. *Ecology* 71: 897-904.
- Pysek P, Richardson DM. 2010. Invasive species environmental change and management and health. *Ann Rev Environ Res* 35: 25-55.
- Rosnaeni, Elfidasari D, Fahmi MR. 2017. DNA Barcodes of the Pleco (Loricariidae, *Pterygoplichthys*) in the Ciliwung River. *Intl J Adv Res* 5: 33-45.
- Rubio VY, Gibbs MA, Work KA, Bryan CE. 2016. Abundant feces from an exotic armored catfish, *Pterygoplichthys disjunctivus* (Weber, 1991), create nutrient hotspots and promote algal growth in a Florida spring. *Aquat Invas* 11: 337-350.
- Salmin. 2005. Dissolved Oxygen (DO) and Biological Oxygen Demand (BOD) as one indicator of water quality. *Jurnal Oseana* 30: 21-26.
- Sartono B, Affendi FM, Syafitri UD, Sumertajaya IM, Anggraeni Y. 2003. *Multiple Variable Analysis*. Institut Pertanian Bogor, Bogor. [Indonesian]
- Shetty A, Venkateshwarlu M, Muralidharan M. 2015. Effect of water quality on the composition of fish communities in three coastal rivers of Karnataka, India. *Intl J Aquat Biol* 3: 42-51.
- Sinha RK, Sinha RK, Sarkar UK, Lakra WS. 2010. First record of the southern sailfin catfish, *Pterygoplichthys anisitsi* Eigenmann & Kennedy, 1903 (Teleostei: Loricariidae), in India. *J Appl Ichthyol* 26: 606-608.
- Sugiyono. 2007. *Methods of Qualitative and Quantitative Research*. Alfabeta, Bandung. [Indonesian]
- Tatangindatu F, Kalesaran O, Rompas R. 2013. Study of water chemical physics parameters in the fish farming area in Danau Tondano, Desa Paleloan, Minahasa. *Budidaya Perairan* 1: 8-19. [Indonesian]
- Van den Ende O. 2014. Burrowing by Sailfin Catfish (*Pterygoplichthys* sp.): A potential cause of erosion in disturbed environments. *Aquat Nuisance Spec Res Progr* 14: 1-19.
- Widarjono A. 2010. *Applied Multivariate Statistical Analysis*. UPP STIM YKPN, Yogyakarta. [Indonesian]
- Yildiz HY et al. 2017. Fish welfare in aquaponic systems: its relation to water quality with an emphasis on feed and faeces-A review. *Water* 9: 1-17. [Indonesian]
- Yossa MI, Araujo-Lima C. 2011. Detritivores in two Amazonian fish species. *J Fish Biol* 50: 1141-1153.

**KOMUNIKASI DENGAN EDITOR JURNAL BIODIVERSITAS
MELALUI EMAIL**

[biodiv] Submission Acknowledgement

From : Ahmad Dwi Setyawan <smujo.id@gmail.com>

Sel, Feb 18, 2020 02:02 PM

Subject : [biodiv] Submission Acknowledgement**To :** Dewi Elfidasari <d_elfidasari@uai.ac.id>

Dewi Elfidasari:

Thank you for submitting the manuscript, "The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Indonesia" to Biodiversitas Journal of Biological Diversity. With the online journal management system that we are using, you will be able to track its progress through the editorial process by logging in to the journal web site:

Submission URL: <https://smujo.id/biodiv/authorDashboard/submission/5465>

Username: elfidasaridewi

If you have any questions, please contact me. Thank you for considering this journal as a venue for your work.

Ahmad Dwi Setyawan

[Biodiversitas Journal of Biological Diversity](#)

5465 / **Elfidasari et al.** / Short Communication: The eff...

Library

Submissions

Workflow

Publication

Submission

Review

Copyediting

Production

Round 1

Round 2

Round 3

Round 2 Status

The submission must be resubmitted for another review round.

Notifications

[biodiv] Editor Decision	2020-03-20 01:56 AM
[biodiv] Editor Decision	2020-05-07 08:59 PM
[biodiv] Editor Decision	2020-07-28 05:34 AM
[biodiv] Editor Decision	2020-08-15 09:11 AM
[biodiv] Editor Decision	2020-08-15 09:13 AM

Reviewer's Attachments

[Q Search](#)

22320-1 , 5465-Article Text-20190-1-4-20200327 reviewed.docx	May 7, 2020
--	-------------

▶	 23521-1	Article Text, C-5465- Article Text-20190-1-4- 20200327_Revised.docx	May 29, 2020	Article Text
---	---	---	-----------------	-----------------

Review Discussions[Add discussion](#)

Name	From	Last Reply	Replies	Closed
Revised paper	editors 2020-07-06 09:44 AM	-	0	<input type="checkbox"/>
▶ Revised paper	elfidasaridewi 2020-07-06 12:10 PM	elfidasaridewi 2020-08-14 09:21 PM	2	<input type="checkbox"/>
Reviewer Comments	editors 2020-07-30 12:38 PM	-	0	<input type="checkbox"/>

[biodiv] Submission Acknowledgement

From : Ahmad Dwi Setyawan <smujo.id@gmail.com>

Sel, Mar 24, 2020 02:23 PM

Subject : [biodiv] Submission Acknowledgement**To :** Dewi Elfidasari <d_elfidasari@uai.ac.id>**Reply To :** Ahmad Dwi Setyawan <editors@smujo.id>

Dewi Elfidasari:

Thank you for submitting the manuscript, "The effect of water quality on the population density of Pterygoplichthys pardalis in the Ciliwung River, Indonesia: Water quality on density of Pterygoplichthys pardalis in the Ciliwung River" to Biodiversitas Journal of Biological Diversity. With the online journal management system that we are using, you will be able to track its progress through the editorial process by logging in to the journal web site:

Submission URL: <https://smujo.id/biodiv/authorDashboard/submission/5698>

Username: elfidasaridewi

If you have any questions, please contact me. Thank you for considering this journal as a venue for your work.

Ahmad Dwi Setyawan

[Biodiversitas Journal of Biological Diversity](#)

5465 / **Elfidasari et al.** / Short Communication: The eff...

Library

Submissions

Workflow

Publication

Submission

Review

Copyediting

Production

Round 1

Round 2

Round 3

Round 3 Status

Submission accepted.

Notifications

[biodiv] Editor Decision	2020-03-20 01:56 AM
[biodiv] Editor Decision	2020-05-07 08:59 PM
[biodiv] Editor Decision	2020-07-28 05:34 AM
[biodiv] Editor Decision	2020-08-15 09:11 AM
[biodiv] Editor Decision	2020-08-15 09:13 AM

Reviewer's Attachments

[Q Search](#)

26761-1 , 01-jul-wer edited with track of changes.doc	July 28, 2020
---	---------------

▶	 27756-1	Article Text, 5465- Article Text-25588-1-18- 20200706_revised_14082020.doc	August 14, 2020	Article Text
---	---	--	-----------------------	-----------------

Review Discussions[Add discussion](#)

Name	From	Last Reply	Replies	Closed
Revised paper	editors 2020-07-06 09:44 AM	-	0	<input type="checkbox"/>
▶ Revised paper	elfidasaridewi 2020-07-06 12:10 PM	elfidasaridewi 2020-08-14 09:21 PM	2	<input type="checkbox"/>
Reviewer Comments	editors 2020-07-30 12:38 PM	-	0	<input type="checkbox"/>

[biodiv] Editor Decision

From : Smujo Editors <smujo.id@gmail.com>

Jum, Mei 08, 2020 03:58 AM

Subject : [biodiv] Editor Decision**To :** Dewi Elfidasari <d_elfidasari@uai.ac.id>, Fahma <fahmawijaya@yahoo.com> 1 attachment**Reply To :** Smujo Editors <editors@smujo.id>

Dewi Elfidasari, Fahma:

We have reached a decision regarding your submission to Biodiversitas Journal of Biological Diversity, "The effect of water quality on the population density of Pterygoplichthys pardalis in the Ciliwung River, Indonesia".

Our decision is: Revisions Required

Note: Kindly invite professional English editor (eg. scribendi.com, elsevier.com, etc) prior to resubmit your revised paper.

Smujo Editors
editors@smujo.id-----
Reviewer C:

- There are some confusing sentences. Please rewrite
- Use the word consistently, for example, the word "Ciliwung River" suddenly below becomes "Ciliwung Watershed"
- Write the formula using calculations
- The reason or consideration for the selection of sampling stations is unclear
- Selection of research parameter is not clear
- Fish population data at each sampling station is not clearly presented in tabular form
- Some results appear without being explained before in the method chapter
- Double-check the sentence structure and consistency of writing
- Write citation and reference following Guidance For Authors

Recommendation: Revisions Required

[biodiv] New notification from Biodiversitas Journal of Biological Diversity

From : Smujo Editors <smujo.id@gmail.com>

Sen, Jul 06, 2020 04:46 PM

Subject : [biodiv] New notification from Biodiversitas Journal of Biological Diversity

To : Dewi Elfidasari <d_elfidasari@uai.ac.id>

Reply To : Smujo Editors <editors@smujo.id>

You have a new notification from Biodiversitas Journal of Biological Diversity:

You have been added to a discussion titled "Revised paper" regarding the submission "Short Communication: The effect of water quality on the population density of Pterygoplichthys pardalis in the Ciliwung River, Jakarta, Indonesia".

Link: <https://smujo.id/biodiv/authorDashboard/submission/5465>

Ahmad Dwi Setyawan

[Biodiversitas Journal of Biological Diversity](#)

Re: [biodiv] New notification from Biodiversitas Journal of Biological Diversity

From : Dewi Elfidasari <d_elfidasari@uai.ac.id>

Sel, Jul 07, 2020 11:37 AM

Subject : Re: [biodiv] New notification from Biodiversitas Journal of Biological Diversity**To :** Smujo Editors <editors@smujo.id>

Dear Editors

Thank you for this information
I've sent the revised paperSincerely
Dewi

From: "Smujo Editors" <smujo.id@gmail.com>**To:** "Dewi Elfidasari" <d_elfidasari@uai.ac.id>**Sent:** Monday, July 6, 2020 4:46:48 PM**Subject:** [biodiv] New notification from Biodiversitas Journal of Biological Diversity

You have a new notification from Biodiversitas Journal of Biological Diversity:

You have been added to a discussion titled "Revised paper" regarding the submission "Short Communication: The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Jakarta, Indonesia".Link: <https://smujo.id/biodiv/authorDashboard/submission/5465>

Ahmad Dwi Setyawan

[Biodiversitas Journal of Biological Diversity](#)

Re: [biodiv] New notification from Biodiversitas Journal of Biological Diversity

From : Dewi Elfidasari <d_elfidasari@uai.ac.id>

Rab, Jul 15, 2020 04:18 AM

Subject : Re: [biodiv] New notification from Biodiversitas Journal of Biological Diversity**To :** Smujo Editors <editors@smujo.id>

Dear Editors

Thank you for this information
I've sent the revised paperSincerely
Dewi

From: "Smujo Editors" <smujo.id@gmail.com>**To:** "Dewi Elfidasari" <d_elfidasari@uai.ac.id>**Sent:** Monday, July 6, 2020 4:46:48 PM**Subject:** [biodiv] New notification from Biodiversitas Journal of Biological Diversity

You have a new notification from Biodiversitas Journal of Biological Diversity:

You have been added to a discussion titled "Revised paper" regarding the submission "Short Communication: The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Jakarta, Indonesia".Link: <https://smujo.id/biodiv/authorDashboard/submission/5465>

Ahmad Dwi Setyawan

[Biodiversitas Journal of Biological Diversity](#)

Re: [biodiv] New notification from Biodiversitas Journal of Biological Diversity

From : Managing Editor <unsjournals@gmail.com> Rab, Jul 15, 2020 04:22 PM
Subject : Re: [biodiv] New notification from Biodiversitas Journal of Biological Diversity
To : Dewi Elfidasari <d_elfidasari@uai.ac.id>

Apologize us for any inconvenience, but we are still waiting for comments from English editor.

Thank you,
Regards,

Ahmad Dwi Setyawan
Managing Editor,

On Wed, Jul 15, 2020 at 4:19 AM Dewi Elfidasari <d_elfidasari@uai.ac.id> wrote:

Dear Editors

Thank you for this information
I've sent the revised paper

Sincerely
Dewi

From: "Smujo Editors" <smujo.id@gmail.com>
To: "Dewi Elfidasari" <d_elfidasari@uai.ac.id>
Sent: Monday, July 6, 2020 4:46:48 PM
Subject: [biodiv] New notification from Biodiversitas Journal of Biological Diversity

You have a new notification from Biodiversitas Journal of Biological Diversity:

You have been added to a discussion titled "Revised paper" regarding the submission "Short Communication: The effect of water quality on the population density of Pterygoplichthys pardalis in the Ciliwung River, Jakarta, Indonesia".

Link: <https://smujo.id/biodiv/authorDashboard/submission/5465>

Ahmad Dwi Setyawan

[Biodiversitas Journal of Biological Diversity](#)

[biodiv] Editor Decision

From : Smujo Editors <smujo.id@gmail.com>

Sel, Jul 28, 2020 12:34 PM

Subject : [biodiv] Editor Decision 1 attachment**To :** Dewi Elfidasari <d_elfidasari@uai.ac.id>, Fahma
<fahmawijaya@yahoo.com>**Reply To :** Smujo Editors <editors@smujo.id>

Dewi Elfidasari, Fahma:

We have reached a decision regarding your submission to Biodiversitas Journal of Biological Diversity, "Short Communication: The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Jakarta, Indonesia".

Our decision is: Revisions Required

Smujo Editors
editors@smujo.id-----
Reviewer A:

Catatan artikel water quality

Abstract:

Di baris 6-7 tertulis: Data were obtained by measuring the water quality parameters at three stations. These include the DO, BOD, pH, rainfall, temperature, water clearness, turbidity, current velocity, river depth, ammoniac and phosphate levels, as well as the fish density and population.

Sebagian parameter yang didaftar tidak termasuk "water quality", yaitu "rainfall, fish density, population". Frasa "fish density and population" tidak tepat, karena "density" itu salah satu atribut populasi.

Kedua kalimat tersebut saya edit jadi: Data were obtained by measuring DO, BOD, pH, rainfall, temperature, water clearness, turbidity, current velocity, river depth, ammoniac, and phosphate levels, as well as the fish population density.

Frasa "its density and population" sering muncul. Yang lebih tepat adalah "population density"

Di Introduction tertulis: Besides, the existence of pollution tends to influence the quality of water, which has a direct impact on aquatic biota (Kisku et al. 2017; Shetty et al. 2015).

Frasa "the existence of pollution" tidak tepat. Yang berpengaruh pada kualitas air itu "pollution" bukan "the existence of pollution."

Di halaman 4, di atas Tabel 2 tertulis: The results of BOD5 measurements in the three locations showed that the pollution level is still low and categorized as good water. Pernyataan ini bertentangan dengan pernyataan di halaman 6 di bawah Tabel 5: The values of the physical and chemical parameters provide information that the condition of the river waters has been highly polluted.

Di artikel ini banyak penggunaan decimal berupa koma yang seharusnya titik.

Artikel ini banyak menggunakan kalimat yang tidak efektif dan melakukan pengulangan yang tidak perlu. Kalimat-kalimat tersebut sudah saya revisi.

Conclusion terlalu panjang, jadi saya ringkas.

Recommendation: Revisions Required

[Biodiversitas Journal of Biological Diversity](#)

 **A-01-jul-wer edited with track of changes.doc**
328 KB

[biodiv] New notification from Biodiversitas Journal of Biological Diversity

From : Smujo Editors <smujo.id@gmail.com>

Kam, Jul 30, 2020 07:39 PM

Subject : [biodiv] New notification from Biodiversitas Journal of Biological Diversity

To : Dewi Elfidasari <d_elfidasari@uai.ac.id>

Reply To : Smujo Editors <editors@smujo.id>

You have a new notification from Biodiversitas Journal of Biological Diversity:

You have been added to a discussion titled "Reviewer Comments" regarding the submission "Short Communication: The effect of water quality on the population density of Pterygoplichthys pardalis in the Ciliwung River, Jakarta, Indonesia".

Link: <https://smujo.id/biodiv/authorDashboard/submission/5465>

Ahmad Dwi Setyawan

[Biodiversitas Journal of Biological Diversity](#)

[biodiv] Editor Decision

From : Smujo Editors <smujo.id@gmail.com>

Sab, Agu 15, 2020 04:11 PM

Subject : [biodiv] Editor Decision

To : DEWI ELFIDASARI <d_elfidasari@uai.ac.id>, FAHMA
WIJAYANTI <fahmawijaya@yahoo.com>, HURUNIN
FATHONAH MUTHMAINAH <author@smujo.id>

Reply To : Smujo Editors <editors@smujo.id>

DEWI ELFIDASARI, FAHMA WIJAYANTI, HURUNIN FATHONAH MUTHMAINAH:

We have reached a decision regarding your submission to Biodiversitas Journal of Biological Diversity, "Short Communication: The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Jakarta, Indonesia".

Our decision is to: Accept Submission

Smujo Editors
editors@smujo.id

[Biodiversitas Journal of Biological Diversity](#)

[biodiv] Editor Decision

From : Smujo Editors <smujo.id@gmail.com>

Sab, Agu 15, 2020 04:13 PM

Subject : [biodiv] Editor Decision**To :** DEWI ELFIDASARI <d_elfidasari@uai.ac.id>, FAHMA
WIJAYANTI <fahmawijaya@yahoo.com>, HURUNIN
FATHONAH MUTHMAINAH <author@smujo.id>**Reply To :** Smujo Editors <editors@smujo.id>

DEWI ELFIDASARI, FAHMA WIJAYANTI, HURUNIN FATHONAH MUTHMAINAH:

The editing of your submission, "Short Communication: The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Jakarta, Indonesia," is complete. We are now sending it to production.

Submission URL: <https://smujo.id/biodiv/authorDashboard/submission/5465>Smujo Editors
editors@smujo.id

[Biodiversitas Journal of Biological Diversity](#)

**KOMUNIKASI DENGAN EDITOR JURNAL BIODIVERSITAS
MELALUI OJS**

5465 / **Elfidasari et al.** / Short Communication: The eff...

Library

Submissions

Workflow

Publication

Submission

Review

Copyediting

Production

Submission Files

Search

- ▶  18453-1 elfidasaridewi, 1. February Article
 Effect of water quality on the 18, 2020 Text
 population of Pterygoplichthys
 pardalis in the Ciliwung
 River_format Biodiversitas
 journ.docx

Download All Files

Pre-Review Discussions

Add discussion

Name	From	Last Reply	Replies	Closed
▶ Comments for the Editor	elfidasaridewi	-	0	<input type="checkbox"/>
	2020-02-18 06:14 AM			

Platform &
workflow by
OJS / PKP



Participants [Edit](#)

Dewi Elfidasari (elfidasaridewi)

Messages

Note	From
<p>Dear Editor of Biodiversitas Journal</p> <p>Hereby i send the manuscript of my artikel which can be published in this journal.</p> <p>The title of article, The effect of water quality on the population density of <i>Pterygoplichthys pardalis</i> in the Ciliwung River, Indonesia.</p> <p>This article is the result of our research that have been funding by The Ministry of Research and Technology, Higher Education in 2018.</p> <p>This manuscript explains the results that have been found in this study and has not been published before in the other journal.</p> <p>We hope that this manuscript can be published in this journal.</p> <p>Thank you</p>	<p>elfidasaridewi 2020-02-18 06:14 AM</p>

Add Message



Participants [Edit](#)

Dewi Elfidasari (elfidasaridewi)

Messages

Note	From
<p>Dear Editor of Biodiversitas Journal</p> <p>Hereby i send the manuscript of my artikel which can be published in this journal.</p> <p>The title of article, The effect of water quality on the population density of <i>Pterygoplichthys pardalis</i> in the Ciliwung River, Indonesia.</p> <p>This article is the result of our research that have been funding by The Ministry of Research and Technology, Higher Education in 2018.</p> <p>This manuscript explains the results that have been found in this study and has not been published before in the other journal.</p> <p>We hope that this manuscript can be published in this journal.</p> <p>Thank you</p>	<p>elfidasaridewi 2020-02-18 06:14 AM</p>

Add Message

5465 / **Elfidasari et al.** / Short Communication: The eff...

Library

Submissions

Workflow

Publication

Submission

Review

Copyediting

Production

Round 1

Round 2

Round 3

Round 1 Status

The submission must be resubmitted for another review round.

Notifications

[biodiv] Editor Decision	2020-03-20 01:56 AM
[biodiv] Editor Decision	2020-05-07 08:59 PM
[biodiv] Editor Decision	2020-07-28 05:34 AM
[biodiv] Editor Decision	2020-08-15 09:11 AM
[biodiv] Editor Decision	2020-08-15 09:13 AM

Reviewer's Attachments[Q Search](#)*No Files*

No Files

Review Discussions

[Add discussion](#)

Name	From	Last Reply	Replies	Closed
Revised paper	editors 2020-07-06 09:44 AM	-	0	<input type="checkbox"/>
▶ Revised paper	elfidasaridewi 2020-07-06 12:10 PM	elfidasaridewi 2020-08-14 09:21 PM	2	<input type="checkbox"/>
Reviewer Comments	editors 2020-07-30 12:38 PM	-	0	<input type="checkbox"/>



[biodiv] Editor Decision

2020-03-20 01:56 AM

Dewi Elfidasari, Fahma:

We have reached a decision regarding your submission to Biodiversitas Journal of Biological Diversity, "The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Indonesia".

Our decision is: Revisions Required

Note: Kindly invite professional proofreader to improve the language.

Smujo Editors
editors@smujo.id

Reviewer E:

Recommendation: Resubmit for Review

[Biodiversitas Journal of Biological Diversity](#)



[biodiv] Editor Decision

2020-03-20 01:56 AM

Dewi Elfidasari, Fahma:

We have reached a decision regarding your submission to Biodiversitas Journal of Biological Diversity, "The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Indonesia".

Our decision is: Revisions Required

Note: Kindly invite professional proofreader to improve the language.

Smujo Editors
editors@smujo.id

Reviewer E:

Recommendation: Resubmit for Review

[Biodiversitas Journal of Biological Diversity](#)



[biodiv] Editor Decision

2020-05-07 08:59 PM

Dewi Elfidasari, Fahma:

We have reached a decision regarding your submission to Biodiversitas Journal of Biological Diversity, "The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Indonesia".

Our decision is: Revisions Required

Note: Kindly invite professional English editor (eg. scribendi.com, elsevier.com, etc) prior to resubmit your revised paper.

Smujo Editors
editors@smujo.id

Reviewer C:

- There are some confusing sentences. Please rewrite
- Use the word consistently, for example, the word "Ciliwung River" suddenly below becomes "Ciliwung Watershed"
- Write the formula using calculations
- The reason or consideration for the selection of sampling stations is unclear
- Selection of research parameter is not clear
- Fish population data at each sampling station is not clearly presented in tabular form
- Some results appear without being explained before in the method chapter
- Double-check the sentence structure and consistency of writing
- Write citation and reference following Guidance For Authors

Recommendation: Revisions Required



[biodiv] Editor Decision

2020-05-07 08:59 PM

Dewi Elfidasari, Fahma:

We have reached a decision regarding your submission to Biodiversitas Journal of Biological Diversity, "The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Indonesia".

Our decision is: Revisions Required

Note: Kindly invite professional English editor (eg. scribendi.com, elsevier.com, etc) prior to resubmit your revised paper.

Smujo Editors
editors@smujo.id

Reviewer C:

- There are some confusing sentences. Please rewrite
- Use the word consistently, for example, the word "Ciliwung River" suddenly below becomes "Ciliwung Watershed"
- Write the formula using calculations
- The reason or consideration for the selection of sampling stations is unclear
- Selection of research parameter is not clear
- Fish population data at each sampling station is not clearly presented in tabular form
- Some results appear without being explained before in the method chapter
- Double-check the sentence structure and consistency of writing
- Write citation and reference following Guidance For Authors

Recommendation: Revisions Required

Dewi Elfidasari, Fahma:

We have reached a decision regarding your submission to Biodiversitas Journal of Biological Diversity, "Short Communication: The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Jakarta, Indonesia".

Our decision is: Revisions Required

Smujo Editors
editors@smujo.id

Reviewer A:

Catatan artikel water quality

Abstract:

Di baris 6-7 tertulis: Data were obtained by measuring the water quality parameters at three stations. These include the DO, BOD, pH, rainfall, temperature, water clearness, turbidity, current velocity, river depth, ammoniac and phosphate levels, as well as the fish density and population.

Sebagian parameter yang didaftar tidak termasuk "water quality", yaitu "rainfall, fish density, population". Frasa "fish density and population" tidak tepat, karena "density" itu salah satu atribut populasi.

Kedua kalimat tersebut saya edit jadi: Data were obtained by measuring DO, BOD, pH, rainfall, temperature, water clearness, turbidity, current velocity, river depth, ammoniac, and phosphate levels, as well as the fish population density.

Frasa "its density and population" sering muncul. Yang lebih tepat adalah "population density"

Di Introduction tertulis: Besides, the existence of pollution tends to influence the quality of water, which has a direct impact on aquatic biota (Kisku et al. 2017; Shetty et al. 2015).

Frasa "the existence of pollution" tidak tepat. Yang berpengaruh pada kualitas air itu "pollution" bukan "the existence of pollution."

Di halaman 4, di atas Tabel 2 tertulis: The results of BOD5 measurements in the three locations showed that the pollution level is still low and categorized as good water. Pernyataan ini bertentangan dengan pernyataan di halaman 6 di bawah Tabel 5: The values of the physical and chemical parameters provide information that the condition of the river waters has been highly polluted.

Dewi Elfidasari, Fahma:

We have reached a decision regarding your submission to Biodiversitas Journal of Biological Diversity, "Short Communication: The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Jakarta, Indonesia".

Our decision is: Revisions Required

Smujo Editors
editors@smujo.id

Reviewer A:

Catatan artikel water quality

Abstract:

Di baris 6-7 tertulis: Data were obtained by measuring the water quality parameters at three stations. These include the DO, BOD, pH, rainfall, temperature, water clearness, turbidity, current velocity, river depth, ammoniac and phosphate levels, as well as the fish density and population.

Sebagian parameter yang didaftar tidak termasuk "water quality", yaitu "rainfall, fish density, population". Frasa "fish density and population" tidak tepat, karena "density" itu salah satu atribut populasi.

Kedua kalimat tersebut saya edit jadi: Data were obtained by measuring DO, BOD, pH, rainfall, temperature, water clearness, turbidity, current velocity, river depth, ammoniac, and phosphate levels, as well as the fish population density.

Frasa "its density and population" sering muncul. Yang lebih tepat adalah "population density"

Di Introduction tertulis: Besides, the existence of pollution tends to influence the quality of water, which has a direct impact on aquatic biota (Kisku et al. 2017; Shetty et al. 2015).

Frasa "the existence of pollution" tidak tepat. Yang berpengaruh pada kualitas air itu "pollution" bukan "the existence of pollution."

Di halaman 4, di atas Tabel 2 tertulis: The results of BOD5 measurements in the three locations showed that the pollution level is still low and categorized as good water. Pernyataan ini bertentangan dengan pernyataan di halaman 6 di bawah Tabel 5: The values of the physical and chemical parameters provide information that the condition of the river waters has been highly polluted.



[biodiv] Editor Decision

2020-08-15 09:11 AM

DEWI ELFIDASARI, FAHMA WIJAYANTI, HURUNIN FATHONAH MUTHMAINAH:

We have reached a decision regarding your submission to Biodiversitas Journal of Biological Diversity, "Short Communication: The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Jakarta, Indonesia".

Our decision is to: Accept Submission

Smujo Editors
editors@smujo.id

[Biodiversitas Journal of Biological Diversity.](#)



[biodiv] Editor Decision

2020-08-15 09:11 AM

DEWI ELFIDASARI, FAHMA WIJAYANTI, HURUNIN FATHONAH MUTHMAINAH:

We have reached a decision regarding your submission to Biodiversitas Journal of Biological Diversity, "Short Communication: The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Jakarta, Indonesia".

Our decision is to: Accept Submission

Smujo Editors
editors@smujo.id

[Biodiversitas Journal of Biological Diversity.](#)



[biodiv] Editor Decision

2020-08-15 09:13 AM

DEWI ELFIDASARI, FAHMA WIJAYANTI, HURUNIN FATHONAH MUTHMAINAH:

The editing of your submission, "Short Communication: The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Jakarta, Indonesia," is complete. We are now sending it to production.

Submission URL: <https://smujo.id/biodiv/authorDashboard/submission/5465>

Smujo Editors
editors@smujo.id

[Biodiversitas Journal of Biological Diversity.](#)



[biodiv] Editor Decision

2020-08-15 09:13 AM

DEWI ELFIDASARI, FAHMA WIJAYANTI, HURUNIN FATHONAH MUTHMAINAH:

The editing of your submission, "Short Communication: The effect of water quality on the population density of *Pterygoplichthys pardalis* in the Ciliwung River, Jakarta, Indonesia," is complete. We are now sending it to production.

Submission URL: <https://smujo.id/biodiv/authorDashboard/submission/5465>

Smujo Editors
editors@smujo.id

[Biodiversitas Journal of Biological Diversity.](#)



Participants

Smujo Editors (editors)

Dewi Elfidasari (elfidasaridewi)

Messages

Note	From
Pls, check the attached file	editors
 editors, Pterygoplichthys pardalis - Dewi Elfidasari.edited.doc	2020-07-06 09:44 AM

Add Message



Participants

Smujo Editors (editors)

Dewi Elfidasari (elfidasaridewi)

Messages

Note	From
Pls, check the attached file	editors
 editors, Pterygoplichthys pardalis - Dewi Elfidasari.edited.doc	2020-07-06 09:44 AM

Add Message



Participants [Edit](#)

Smujo Editors (editors)

Dewi Elfidasari (elfidasaridewi)

Messages

Note	From
<p>Dear editor</p> <p>I send the following revised paper</p> <p>Thanks a lot</p> <p>Sincerely</p> <p> elfidasaridewi, C-5465-Article Text-20190-1-4-20200327_Revised_06072020.docx</p>	<p>elfidasaridewi</p> <p>2020-07-06</p> <p>12:10 PM</p>
<p>▶ Dear editor</p> <p>So sorry for the first attachment file</p> <p>I send the following revised paper and this is the right paper</p> <p>Thanks a lot</p> <p>Sincerely</p> <p> elfidasaridewi, 5465-Article Text-25588-1-18-20200706_revised_06072020.doc</p>	<p>elfidasaridewi</p> <p>2020-07-06</p> <p>12:24 PM</p>
<p>▶ Dear editor</p> <p>I send the following revised paper</p> <p>Thanks a lot</p> <p>Sincerely</p> <p> elfidasaridewi, 5465-Article Text-25588-1-18-20200706_revised_14082020.doc</p>	<p>elfidasaridewi</p> <p>2020-08-14</p> <p>09:21 PM</p>





Participants [Edit](#)

Smujo Editors (editors)

Dewi Elfidasari (elfidasaridewi)

Messages

Note	From
<p>Dear editor</p> <p>I send the following revised paper</p> <p>Thanks a lot</p> <p>Sincerely</p> <p> elfidasaridewi, C-5465-Article Text-20190-1-4-20200327_Revised_06072020.docx</p>	<p>elfidasaridewi</p> <p>2020-07-06</p> <p>12:10 PM</p>
<p>▶ Dear editor</p> <p>So sorry for the first attachment file</p> <p>I send the following revised paper and this is the right paper</p> <p>Thanks a lot</p> <p>Sincerely</p> <p> elfidasaridewi, 5465-Article Text-25588-1-18-20200706_revised_06072020.doc</p>	<p>elfidasaridewi</p> <p>2020-07-06</p> <p>12:24 PM</p>
<p>▶ Dear editor</p> <p>I send the following revised paper</p> <p>Thanks a lot</p> <p>Sincerely</p> <p> elfidasaridewi, 5465-Article Text-25588-1-18-20200706_revised_14082020.doc</p>	<p>elfidasaridewi</p> <p>2020-08-14</p> <p>09:21 PM</p>





Participants

Smujo Editors (editors)

Dewi Elfidasari (elfidasaridewi)

Messages

For author and editor

Catatan artikel water quality

editors

2020-07-30

12:38 PM

Abstract:

Di baris 6-7 tertulis: Data were obtained by measuring the water quality parameters at three stations. These include the DO, BOD, pH, rainfall, temperature, water clearness, turbidity, current velocity, river depth, ammoniac and phosphate levels, as well as the fish density and population.

Sebagian parameter yang didaftar tidak termasuk "water quality", yaitu "rainfall, fish density, population". Frasa "fish density and population" tidak tepat, karena "density" itu salah satu atribut populasi.

Kedua kalimat tersebut saya edit jadi: Data were obtained by measuring DO, BOD, pH, rainfall, temperature, water clearness, turbidity, current velocity, river depth, ammoniac, and phosphate levels, as well as the fish population density.

Frasa "its density and population" sering muncul. Yang lebih tepat adalah "population density"

Di Introduction tertulis: Besides, the existence of pollution tends to influence the quality of water, which has a direct impact on aquatic biota (Kisku et al. 2017; Shetty et al. 2015).

Frasa "the existence of pollution" tidak tepat. Yang berpengaruh pada kualitas air itu "pollution" bukan "the existence of pollution."



Participants

Smujo Editors (editors)

Dewi Elfidasari (elfidasaridewi)

Messages

Note	From
<p>For author and editor Catatan artikel water quality</p> <p>Abstract:</p> <p>Di baris 6-7 tertulis: Data were obtained by measuring the water quality parameters at three stations. These include the DO, BOD, pH, rainfall, temperature, water clearness, turbidity, current velocity, river depth, ammoniac and phosphate levels, as well as the fish density and population.</p> <p>Sebagian parameter yang didaftar tidak termasuk "water quality" , yaitu "rainfall, fish density, population". Frasa "fish density and population" tidak tepat, karena "density" itu salah satu atribut populasi.</p> <p>Kedua kalimat tersebut saya edit jadi: Data were obtained by measuring DO, BOD, pH, rainfall, temperature, water clearness, turbidity, current velocity, river depth, ammoniac, and phosphate levels, as well as the fish population density.</p> <p>Frasa "its density and population" sering muncul. Yang lebih tepat adalah "population density"</p> <p>Di Introduction tertulis: Besides, the existence of pollution tends to influence the quality of water, which has a direct impact on aquatic biota (Kisku et al. 2017; Shetty et al. 2015).</p> <p>Frasa "the existence of pollution" tidak tepat. Yang berpengaruh pada kualitas air itu "pollution" bukan "the existence of pollution."</p>	<p>editors 2020-07-30 12:38 PM</p>



5465 / **Elfidasari et al.** / Short Communication: The eff...

Library

Submissions

Workflow | **Publication**

Submission | **Review** | Copyediting

Production

Copyediting Discussions [Add discussion](#)

Name	From	Last Reply	Replies	Closed
<i>No Items</i>				

Copyedited [Search](#)

27767-1	editors, D210922-Pterygoplichthys pardalis - REV.edited.doc	August 15, 2020	Article Text
---------	---	-----------------	--------------

